



food & more

Rafè

coffee & food

the first time, the author has been able to identify the species of all the individuals.

The following account is based on the results of the field surveys and the examination of the specimens collected.

It is suggested that the new species be named *Leptodactylus luteus* (see below).

It is also suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

It is suggested that the name *L. luteus* be used for the nominate subspecies of *L. luteus*.

ЗАКУСКИ



Салат «Панцанелла» с семгой и овощами



Жареная моцарелла со спаржей и овощами



Теплая спаржа с севiche из лосося



Цезарь с креветками в соусе «Цезарь»



Куриный салат с яблоками и сыром «Моцарелла»



Салат «Цезарь» с курицей гриль



Салат "Капрезе" со свежими томатами, моцареллой и душицей



Салат «Инсалатонна»




Салат с рукколой и креветками



Салат "Шри Ланка" с креветками и кальмарами



Салат “Цезарь” с семгой, запеченным хлебом и сыром “Пармезан”



## ПЕРВЫЕ БЛЮДА



Меццелуне с мясом в соусе из Пармезана



Меццелуне с баклажанами или шпинатом в томатным соусе



Меццелуне с баклажанами или шпинатом в соусе «Болоньезе»



Тальятелле с шампиньонами



Тальятелле с маскарпоне и базиликом



Лазанья по-болонски



Ризotto со свекольным пюре



Ризотто с морепродуктами



Ризotto с креветками и цукини



Спагетти карбонара с индейкой и овощами



Тальятелле с семгой



Фетучини с морепродуктами



Равиолли с креветками



## ВТОРЫЕ БЛЮДА



Тальята из говядины с салатом, томатами «черри» и сыром «Пармезан»



Тальята с тальятелле в шпинатном соусе



Стейк с гарниром из баклажан «Меланзанья»



Филе телятины под грибным соусом с овощами



Медальоны из говядины в томатном соусе с овощами



Тальятелле с кониной в сливочном соусе



Паккери с кониной



Бараньи ребрышки с фисташковым соусом



Корейка ягненка с альпийскими травами



Курица а`ля Муньяйя



Утиная грудка с тальятелле и помидорами «черри»



Рулет из индейки с черносливом и филадельфией



Сибас по-итальянски



Сибас а`ля Медитераниан



Красная рыба со свежими томатами по-каталонски



Дорадо на гриле



Дорадо с овощами запеченные в фольге



Барбекю из семги и креветок



Calzone Emilia



Capricciosa

the first time, the author has been able to identify the species of all the individuals.

The following account is based on the results of the field surveys and the examination of the specimens collected.

It is suggested that the new species described here be included in the genus *Leptodactylus*.

It is also suggested that the name *Leptodactylus* be used for the entire group of species described by Gmelin.

The following account is based on the results of the field surveys and the examination of the specimens collected.

It is suggested that the new species described here be included in the genus *Leptodactylus*.

It is also suggested that the name *Leptodactylus* be used for the entire group of species described by Gmelin.

The following account is based on the results of the field surveys and the examination of the specimens collected.

It is suggested that the new species described here be included in the genus *Leptodactylus*.

It is also suggested that the name *Leptodactylus* be used for the entire group of species described by Gmelin.

The following account is based on the results of the field surveys and the examination of the specimens collected.

It is suggested that the new species described here be included in the genus *Leptodactylus*.

It is also suggested that the name *Leptodactylus* be used for the entire group of species described by Gmelin.

The following account is based on the results of the field surveys and the examination of the specimens collected.

It is suggested that the new species described here be included in the genus *Leptodactylus*.

It is also suggested that the name *Leptodactylus* be used for the entire group of species described by Gmelin.

The following account is based on the results of the field surveys and the examination of the specimens collected.

It is suggested that the new species described here be included in the genus *Leptodactylus*.

It is also suggested that the name *Leptodactylus* be used for the entire group of species described by Gmelin.

The following account is based on the results of the field surveys and the examination of the specimens collected.

It is suggested that the new species described here be included in the genus *Leptodactylus*.

It is also suggested that the name *Leptodactylus* be used for the entire group of species described by Gmelin.

The following account is based on the results of the field surveys and the examination of the specimens collected.

It is suggested that the new species described here be included in the genus *Leptodactylus*.

It is also suggested that the name *Leptodactylus* be used for the entire group of species described by Gmelin.

The following account is based on the results of the field surveys and the examination of the specimens collected.

It is suggested that the new species described here be included in the genus *Leptodactylus*.